

SAFETY DATA SHEET Complement Factor P Quantitative

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier Product name: Product description

Complement Factor P Quantitative Kit consisting of following reagents:

- Calibrator
- High Control
- Low Control
- Wash Buffer (Conc. x30)
- Dilution Buffer
- Conjugate
- Substrate TMB (separate SDS)
- Stop Solution
- Antibody coated plate

Product code COMPL FPQ RUO

1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the product Kit consisting of different reagents for Research Use Only.

1.3 Details of the Supplier of the safety data sheet

Company	Svar Life Science AB
Address	Lundvägen 151
Zip code/Place	SE-212 24 Malmö, Sweden
Telephone	+46 40 53 76 00
Website	www.svarlifescience.com
E-mail	info@svarlifescience.com

1.4 Emergency telephone number

0 7 1	
Emergency telephone	(Sweden) Acute: 112 – Ask for "Giftinformation". If less acute call: +46 010 4566700.
number	(UK) NHS (England or Wales): Dial 111 or 0845 4647 NHS 24
	(Scotland): 08454 24 24 24

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to the Regulation (EC) No. 1272/2008 (CLP) **Wash Buffer** and **Conjugate:** Skin Sens.1; H317 Aquatic Chronic 3; H412

The remaining reagents are not classified as dangerous.

2.2 Label elements

Wash Buffer and Conjugate:



Contains: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

H317 May cause an allergic skin reaction

H412 Harmful to aquatic life with long lasting effects.

P261 Avoid breathing spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.



SECTION 2. HAZARDS IDENTIFICATION (cont.)

Calibrator, High control, Low control, Dilution buffer:

EUH208 Contains "Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)" May produce an allergic reaction.

EUH210: Safety data sheet available on request.

Stop Solution:

EUH210: Safety data sheet available on request.

The antibody coated plate: requires no CLP labelling.

2.3 Other hazards

not result in classification

Other hazards which do Calibrator, High control and Low control contain plasma which is derived from human. The certificate of analysis states that the plasma has been tested for hepatitis B, hepatitis C and antibodies for HIV, and found to be negative. The products are considered as biological agents in group 2.



PBT: No vPvB: No

criteria for PBT / vPvB under Regulation EC No. 1907/2006, appendix XIII **Endocrine disrupting** properties

Substance meets the

The substances are not identified as having endocrine disrupting properties in accordance with the criteria set out in Regulation 2017/2100 or Regulation 2018/605.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

. .

. .

3.1 Substances

. .

... *c* ...

3.2 Mixtures

Solutions containing the fo	llowing decla	arable substa	ances:		
Product / ingredient name	EC-number	CAS- number	REACH registration number	Conc. (weight-%)	Classification Regulation (EC) No. 1272/2008 [CLP]
Wash Buffer and Conjugat	е				
Reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl- 2H- isothiazol-3-one [EC no. 220-239-6] (3:1) (= CMI/MI)	247-500-7 and 220-239-6	55965-84- 9	-	<0.015	Acute Tox. 3; H301 ATE = 100mg/kg Acute Tox. 2; H310 ATE = 50mg/kg Acute Tox. 3; H331 (ATE=0,05mg/l/4H) Eye Dam. 1; H318 Skin Corr. 1C; H314: $C \ge 0,6\%$ Eye Dam. 1; H318: $C \ge 0,6\%$ Eye Dam. 1; H318: $C \ge 0,6\%$ Eye Irrit. 2; H319: $0,06\% < C < 0,6\%$ Skin Irrit. 2; H315: $0,06\% < C < 0,6\%$ Skin Sens. 1A; H317 (SCL = 0.0015%) Aquatic Acute 1; H400 (M = 100) Aquatic Chronic 1; H410 (M = 100)
Calibrator, High control, Lo	ow control, Di	lution buffer			
Reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl- 2H- isothiazol-3-one [EC no. 220-239-6] (3:1) (= CMI/MI)		55965-84- 9	-	<0.0015	Acute Tox. 3; H301 ATE = 100mg/kg Acute Tox. 2; H310 ATE = 50mg/kg Acute Tox. 3; H331 (ATE=0,05mg/l/4H) Eye Dam. 1; H318 Skin Corr. 1C; H314 SCL: Skin Corr. 1C; H314: $C \ge 0,6\%$ Eye Dam. 1; H318: $C \ge 0,6\%$ Eye Irrit. 2; H319: 0,06% < C < 0,6%



LABEL-DOC-0626 3.0

Skin Irrit. 2; H315: 0,06% < C < 0,6% Skin Sens. 1A; H317 (SCL = 0.0015%) Aquatic Acute 1; H400 (M = 100) Aquatic Chronic 1; H410 (M = 100)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS (cont.)

Stop Solution Sulphuric acid %

231-639-5 7664-93-9

-

2.66

Skin Corr. 1A; H314 SCL: Eye Irrit. 2; H319: 5% ≤ C < 15% Skin Corr. 1A; H314: C ≥ 15% Skin Irrit. 2; H315: 5% ≤ C < 15%

The antibody coated plate contains no declarable substances.

See section 16 for the full text of the classifications declared above.

SECTION 4. FIRST AID MEASURES

A 1 Description of first aid measures

The beschiption of i	
Inhalation:	Remove to fresh air, rest. Call a physician if the complaints persist.
Skin contact:	Remove contaminated clothing and footwear. Wash the skin properly with soap and water. Call a physician If irritation persists.
Eye contact:	Keep eyelids well apart. Rinse with water for a couple of minutes. Call a physician if the complaints persist.
Ingestion	Wash mouth properly with water. If victim is conscious and alert, give 2-4 cupfuls of milk/water to dilute the substance in stomach. Call a physician if the complaints persist.
4.2 Most important	symptoms and effects, both acute and delayed

Potential acute health effects

Inhalation:	Exposure to high airborne concentrations of the reagents in this kit may cause irritation
	in the respiratory tract, dizziness and sickness.
Skin contact:	Exposure to the skin may cause an allergic skin reaction.
Eye contact:	May cause mild eye irritation.
Ingestion:	Ingestion of larger amounts may cause sickness and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Ingestion:	Treat symptomatically.
Specific treatments:	No specific treatment.

SECTION 5. FIREFIGHTING MEASURES

E.A. Eviting and in him of the office				
5.1 Extinguishing med				
Suitable extinguishing media	Dry chemical, foam, water spray or carbon dioxide.			
Unsuitable Waterjet extinguishing media				
5.2 Special hazards ar	ising from the substance or mixture			
5.2 Special hazards ar Hazards from the substance or mixture	ising from the substance or mixture None			

Special protective Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable actions for fire-fighters training.



LABEL-DOC-0626 3.0

Special protective equipment for firefighters

Further information

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency
personnelNo action shall be taken involving any personal risk or without suitable training. Evacuate
surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not
touch or walk through spilt material. Put on appropriate personal protective equipment.
If specialized clothing is required to deal with the spillage, take note of any information in
Section 8 on suitable and unsuitable materials. See also Section 8 for additional
information on hygiene measures.

6.2 Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8).			
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.			
7.2 Conditions for safe storage, including any incompatibilities				

Storage:Store in original container protected from direct sunlight in a dry, cool and well-ventilated
area, away from incompatible materials (see section 10), food and drink. Keep container
tightly closed and sealed until ready for use. Containers that have been opened must be
carefully resealed and kept upright to prevent leakage.Further information:Not applicable

7.3 Specific end use(s)

Reagents for research use only.



SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational expo				1			
Chemical name	EU	United Kingdom	France	Spain	Germany		
Sulphuric acid (CAS No. 7664-93-9)	0,05 mg/m ³ thoracic fraction	0,05 mg/m ³ thoracic fraction	0,05 mg/m ³ thoracic fraction	0,05 mg/m ³	STEL: 0.1 mg/m ³ MAK: 0.1 mg/m ³ Inhalable aerosols Denmark		
Chemical name	Italy	Sweden	Netherlands	Finland			
Sulphuric acid (CAS No. 7664-93-9)	ulphuric acid TWA 0.05 mg/m ³		0,05 mg/m ³ thoracic fraction STEL 0.1 mg/m ³ thoracic fraction		TWA 0.05 mg/m ³ STEL 0.1 mg/m ³		
Chemical name	Austria	Switzerland	Poland Norway		Ireland		
Sulphuric acid (CAS No. 7664-93-9)	MAK: 0.1 mg/m ³ STEL: 0.2 mg/m ³ Inhalable aerosols	STEL: 0.2 mg/m ³ MAK: 0.1 mg/m ³ Inhalable aerosols	NDSCh: 1 mg/m ³ NDS: 3 mg/m ³		0,05 mg/m ³		
Recommended monitoring proced	Not rele [.] ure	vant					
erived effect leve Product/ingredient name		Exposure	Value	Population	Effects		
Predicted effect concentrations	Not avail	Not available					
PNEC Summary	Not avail	able					
3.2 Exposure cont Appropriate engine controls	ering Good ge contamir	Good general ventilation should be sufficient to control worker exposure to airborn contaminants. Otherwise, use local exhaust ventilation or other engineering contr keep worker exposure below any recommended or statutory limits.			ngineering controls t		
Hygiene measures	eating, si Appropria Wash co	Wash hands, forearms and face thoroughly after handling chemical products, befor eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safe showers are close to the workstation location.			king period. taminated clothing.		
Respiratory protect	tion Not relev	Not relevant during normal condition.					
Eye/face protection	n Safety gl	Safety glasses or face shield shall be worn.					
Hand protection		Wear chemical-resistant, impervious gloves in butyl rubber or nitril rubber complying with an approved standard (EN374).			il rubber complying		
Body protection	Wear sui	table protective clc	thing.				
Environmental expo controls	osure Not appli						



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties of the reagents

	Dilution buffer	Wash buffer	Conjugate	High control, Low control	Calibrator	Stop solution
Physical state	Liquid	Liquid	Liquid	Liquid	Liquid	Liquid
Colour	Red	Colourless	Blue	Red (High), Green (Low)	Colourless	Colourless
Odour	Odourless	Odourless	Odourless	Odourless	Odourless	Odourless
Melting point/freezing point	n.d	n.d	n.d	n.d	n.d	n.d
Boiling point or initial boiling point	n.d	n.d	n.d	n.d	n.d	n.d
Flammability (solid, gas)	n.a	n.a	n.a	n.a	n.a	n.a
Lower and upper explosion limit	n.a	n.a	n.a	n.a	n.a	n.a
Flash point	n.d	n.d	n.d	n.d	n.d	n.d
Auto-ignition temperature	n.d	n.d	n.d	n.d	n.d	n.d
Decomposition temperature	n.d	n.d	n.d	n.d	n.d	n.d
pH	7.2-7.5	6.5-8.0	Neutral	7.2-7.5	7.2-7.5	App. 0.6
Kinematic viscosity	n.d	n.d	n.d	n.d	n.d	n.d
Solubility	Soluble in water	Soluble in water	Soluble in water	Soluble in water	Soluble in water	Soluble in water
Partition coefficient n-octanol/water (log value)	n.a	n.a	n.a	n.a	n.a	n.a
Vapour pressure	n.d	n.d	n.d	n.d	n.d	n.d
Density and/or relative density	n.d	n.d	n.d	n.d	n.d	n.d
Relative vapour density	n.a	n.a	n.a	n.a	n.a	n.a
Particle characteristics	n.a	n.a	n.a	n.a	n.a	n.a

n.a = not applicable. n.d = not determined

9.2 Other information

Not applicable

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	Non-reactive
10.2 Chemical stability	Stabile under normal conditions of use and storage.
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Condition to avoid	Avoid direct sunlight.
10.5 Incompatible materials	None
10.6 Hazardous decomposition products	Carbon monoxide, carbon dioxide and nitrous gases.



SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met. Calculated data: LD_{50} oral, rat: > 2000 mg/kg LD_{50} dermal, rat: > 2000 mg/kg

Irritation/Corrosion

Based on available data, the classification criteria are not met. Experimental/calculated data: Corrosive or irritating to the skin, rabbit: Not irritating.

Serious eye damage/irritation

Based on available data, the classification criteria are not met. Experimental/calculated data:Serious eye damage/eye irritation, rabbit: Not irritating

Respiratory or skin sensitization

Skin Sens. 1;H317 May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

None known.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

12.1.1 Acute toxicity in the aquatic environment

For	CMI/MI

vPvB

Test	Value/unit (mg/l)	Test method	Exp. time (h)	Species
Fish LC ₅₀	0.19		96	Salmo gairdneri
Daphnia EC ₅₀	0.028		48	Crassostrea virg.
Algea EC ₅₀	0.018		96	Selenastrum cap.

12.2 Persistence and degradability

Conclusion/Summary The reagents are classified as readily biodegradable.

12.3 Bioaccumulative potential

Conclusion/Summary The reagents are not classified as bioaccumulative.

12.4 Mobility in soil	
Soil/water partition	Not available
coefficient (KOC)	
Mobility	Not available

12.5 Results of PBT and vPvB assessment PBT Not applicable

Not applicable Not applicable

12.6 Endocrine disrupting properties Conclusion None known.

12.7. Other adverse effects Conclusion None known.



SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	
Method of disposal	The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Used kit may be potentially infectious material and shall be disposed as a hazardous waste.
Hazardous waste	Within the present knowledge of the supplier, this product is regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European Waste Catalogue (EWC)

EWC Waste Code	Type of waste
18 01 06*	Chemicals consisting of or containing dangerous substances
15 01 10*	Packaging containing residues of or contaminated by dangerous substances

Packaging

Method of disposal	Incineration.
Special precautions	None.

SECTION 14. TRANSPORT INFORMATION

Product classified as dan	gerous goods:	Yes	X No	\Box Not decided
14.1 UN number or ID number	ADR/RID Not regulated	ADN/ADNR Not regulated	IMDG Not regulated	IATA Not regulated
14.2 UN proper shipping name				
14.3 Transport hazard class(es)				
14.4 Packing Group				
14.5 Environmental hazards				
14.6 Special precautions for user	Not available	Not available	Not available	Not available
14.7 Maritime transport in bulk according to IMO instruments	Not applicable	Not applicable	Not applicable	Not applicable

Additional information

Used kit is dangerous goods by transportation in class 6.2, UN 3291. Contact the manufacturer for further information.



SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

REACH Status In compliance. Pre-registration status: All components are listed or exempted.

Annex XIV - List of substances subject to authorization Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Not applicable.

15.2 Chemical safety assessment The reagents in this kit contain substances for which Chemical Safety Assessments still are required.

15.3 Other information Tariff Code -Not applicable harmonized system The EU Seveso Not applicable Directive

International regulations

Chemical Weapons Convention	Chemical Weapons Convention	Chemical Weapons Convention
List	List	List
Schedule I Chemicals	Schedule II Chemicals	Schedule III Chemicals
Not regulated	Not regulated	Not regulated

SECTION 16. OTHER INFORMATION

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Disclaimer: The above information is based on data available to us and is believed to be correct. Since the information may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of its use and all persons receiving it must make their own determination of the effects, properties, protections and disposal which pertain to their particular conditions. No representation, warranty, or guarantee, express or implied (including a warranty of fitness or merchantability for a particular purpose), is made with respect to the materials, the accuracy of this information, the results to be obtained from the use thereof, or the hazards connected with the use of the material. Caution should be used in the handling and use of the material. The above information is offered in good faith and with the belief that it is accurate. As of the date of issuance, we are providing all information relevant to the foreseeable handling of the material. However, in the event of an adverse incident associated with this product, this Safety Data Sheet is not, and is not intended to be, a substitute for consultation with appropriately trained personnel.

THE PRODUCER'S NOTES



SECTION 16. OTHER INFORMATION (cont.)

LIST OF HAZARD STATEMENTS MENTIONED UNDER SECTION 3

No.	H-Statements	
H300	Fatal if swallowed.	
H310	Fatal if in contact with skin.	
H301	Toxic if swallowed.	
H311	Toxic if in contact with skin.	
H331	Toxic if inhaled.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Revision

Version	Valid from (date)	Changes
1.0	05/09/2022	New document.
2.0	30/09/2022	9.1 Correction of color for Calibrator, colourless.
3.0	11-Dec-2023	1.2 Minor correction